

Food Industry Food Industry Rust Free



Preparazioni alimentari

L'industria alimentare opera in ambienti dove pulizia, igiene, controllo delle polveri sono caratteristiche della massima importanza per evitare ogni possibile contaminazione dei prodotti lavorati. La linea di sedute appositamente studiate per le aziende alimentari dedica una particolare attenzione a questi aspetti e in particolare alla facilità di pulizia e manutenzione.

La serie Rust-Free, oltre a queste caratteristiche, è realizzata con componenti al 100% Rust-Free, che non si ossidano in presenza di umidità o di esposizione diretta all'acqua. E' quindi ideale per industrie alimentari di primo livello, quali laboratori ittici, macelli, confezionamento di prodotti freschi o surgelati.

Food processing

The food industry operates in environments where cleanliness, hygiene and dust control features are of utmost importance to avoid any possible contamination of the products manufactured. The line of chairs specially designed for food companies pays close attention to these aspects, in particular the ease of cleaning and maintenance.

The series Rust-Free, in addition to these characteristics, is made with the components that are 100% Rust-Free, which do not oxidize in the presence of moisture or direct exposure to water. An ideal solution for first-level food industries, such as fisheries, laboratories, slaughterhouses, and packaging of fresh or frozen products.



Le superfici sono progettate per lavaggi facili e frequenti.

The surfaces are designed to for easy and frequent washings



Polipropilén

| | | | |
|----|-----------|----------|-----------|
| GS | H 40 ÷ 53 | B2 D4 | • F-FB101 |
| GS | H 50 ÷ 70 | B2 C1 D4 | F-FB146 H |
| GS | H 60 ÷ 85 | B2 C1 D4 | F-FB147 H |



Pu-Soft

| | | | |
|----|-----------|-------------|--------------|
| GS | H 40 ÷ 53 | A6 B2 D4 | F-TL181 P |
| GS | H 49 ÷ 69 | A6 B2 C1 D4 | F-TL186 HP |
| GS | H 59 ÷ 84 | A6 B2 C1 D4 | • F-TL187 HP |

Accessori - Accessories

A6



Braccioli fissi in nylon
Nylon armrests

0702

B2



Ruote gommata anziché ruote dure o pattini
Soft castors instead of hard castors or glides

M-0311

C1



Poggiapiedi cromato regolabile a manopola
Height adjustable footrest

0700

D4



Basamento alluminio lucido Ø 600 mm
Polished aluminium base Ø 600 mm

0902C



Solid Beech Wood

| | | | |
|----|-----------|-------------|------------|
| GS | H 39 ÷ 52 | A6 B2 D4 | F-WD101 F |
| GS | H 48 ÷ 68 | A6 B2 C1 D4 | F-WD146 HF |
| GS | H 58 ÷ 83 | A6 B2 C1 D4 | F-WD147 HF |




Multilayered Beech Wood

| | | | |
|----|-----------|----------|------------|
| GS | H 37 ÷ 50 | B2 D4 | F-VL151 F |
| GS | H 46 ÷ 66 | B2 C1 D4 | F-VL156 HF |
| GS | H 56 ÷ 81 | B2 C1 D4 | F-VL157 HF |

Materiali - Materials

Polypropylene Mono



Nero - Black

BLK



Blu scuro - Navy

BLU

Pu-Soft



Nero - Black

BLK

Solid Beech Wood



Trasparente - Natural

W-TR

Multilayered Beech Wood



Trasparente - Natural

F-TR

Meccanismi - Mechanisms

GS



GAS LIFT
Alzata a gas
Gas lift adjustment

Food Industry Rust Free



Polipropylene Mono

GS H 43 ÷ 59

• F-FB301 RF

GS H 57 ÷ 82

F-FB347 HRF



Polipropylene Kinga

GS H 40 ÷ 55

F-KG341 RF

GS H 54 ÷ 79

• F-KG344 HRF


Le sedute Rust-Free sono interamente prodotte con componenti che non si ossidano in presenza di umidità o di esposizione diretta all'acqua.

Risultano quindi particolarmente indicate per ambienti di lavoro molto umidi come laboratori ittici, macelli, confezionamento di prodotti freschi o surgelati.

The chairs belonging to the Rust-Free line are entirely manufactured with components that do not oxidize in the presence of moisture or direct exposure to water and therefore particularly suitable for wet working environments, such as fisheries, laboratories, slaughterhouses and packaging of fresh or frozen products.

Materiali - Materials

Polypropylene Mono



Nero - Black

BLK



Blu scuro - Navy

BLU




Pistone in acciaio inox
Stainless steel piston

Verniciatura in
acciaio inox
Stainless steel
epoxy paint




Il particolare rivestimento con acciaio inox a scaglie (AISI 316L) impedisce la formazione della ruggine.
The peculiar coating with stainless steel (AISI 316L) flakes prevents any formation of rust.


Polypropylene Kinga



Antracite - Anthracite DGY




Blu scuro - Navy BLU



Beige - Beige SND



Rosso - Red RED



Bianco - White WHT



Azzurro - Light blue LBL

Meccanismi - Mechanisms



GAS LIFT
Alzata a gas
Gas lift adjustment